


## Septage Receiving Station FK100



Specialized in environment  
Technology since **1970**

**Functionality of the Septage Receiving Station FK100:**

The FSM-Septage Receiving Station is used for screening, dewatering, washing, compacting and physically treating of septage waste. This process is used both by municipal utilities and industry. Septage handling is a further development of the screenings press for use on this application.

Septage tanker waste or industrial waste water is vacuum pumped from the tanker into a 2,7 m³ buffer tank. The large capacity of this buffer tank enables the suction vehicle to be emptied more quickly and effectively. Septage flows into the system turning by a key switch or transponder. The septage flows through a screen at the bottom of the machine.

**Advantages:**

As a septage receiving station, the machine can be directly charged from a suction vehicle. Transponders or key switches can be used to reference the delivery to the appropriate supplier and to record quantities. The septage receiving station can be extended to include a grit channel to deal with material containing large quantities of grit.

This ensures that additional sand does not find its way into the sewage plant.


The screw is cleaning the screen and conveys the screenings to the wash-and dewatering zone. The screenings is pressed into a discharge pipe. The standard perforation of the screen is 6 mm. Other diameters are possible if requested. The effluent discharge is performed via a collection tank with hanged outlet pipe off the machine.

**Applications in municipal and industrial clarification plant**

- waste water pre-treatment / fine screening
- sludge screening / secondary sludge
- sludge screening / primary sludge
- septage reception and treatment
- screen in container for pumped feeds to clarification plants

**Industrial applications**

- meat, fish and poultry processing / slaughterhouses – preliminary clarification of total waste water
- composting installations, waste product and disposal engineering, seepage water treatment
- fruit and vegetable processing – preliminary clarification of total waste water
- fruit and vegetables – preliminary clarification of total waste water
- breweries – preliminary clarification of total waste water
- animal processing – preliminary clarification of total waste water
- disposal of wet debris and kitchen waste
- disposal of foodstuffs and food waste



Septage Receiving Station FK100



Septage Receiving Station FK100

**Dimensions:**

dimensions	sizes on request
hole size of the screen	2 - 12 mm, other sizes on request
Ø conveyor screw	300 mm
throughput	on request
solid matter	> 35 %
elutriation of fecal matter	> 90 %
volume reduction	60 bis 80 %
weight reduction	60 bis 80 %

**Material/make:**

machine housing	stainless steel SS304 or SS316, other materials on request
screen	stainless steel SS304 or SS316, other materials on request
discharge pipe	stainless steel SS304 or SS316, other materials on request
sack filling device	stainless steel SS304 or SS316, other materials on request
conveyor screw	extremely wear resisting steel, other materials on request
wear strips	extremely wear resisting steel
drives	geared motors, make SEW

#### Machines for water and waste water treatment

Excellent innovative capacity combined with many years of experience and a highly motivated team providing advice, assembly and service are your guarantee of outstanding products "Made in Germany", expert contract management through to commissioning and, of course, thereafter.

Get to know us, perhaps in the near future at a Trade Fair in your locality.

